Appendix A-1

ADDITIONAL FLOUNDER DATA FOUND.

FLOUNDER TAGGING F0993 - F1015

ANNUAL TAGGING

1976

R/V DAN MOORE STATION LOG

VESSEL (1)	STATION (2-5)	CRUISE NO. (6-8)	MO. (9-14)	DAY	YEAR	GRID (15-17)	LATITUDE (18-21)	LONGITUDE (22-25)
M	2451	032	04	02	74	26AC	3622	7549

DEPTH (26-29)	SUR. TEMP. (30-31)	BTM TEMP. (32-33)	AIR TEMP (34-35)	BAROMETER (36-38)	BT (39)	WIND DIR. (40-41)	WIND SPD. (42-43)
0006	11	—	20	997	N	W	10

S.C. (44)	WEA. (45-46)	BTM TYPE (47-48)	BTM REG (49)	GEAR TYPE (50-51)	GEAR SIZE (52-54)	OP (55)	TM. START (56-57)	MIN. FISHED (58-60)
1	MC	SA	E	FT	151	—	19	022

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)
01	00100	0007	—	—

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)
—	—	—	—	—

POSITION	LATITUDE	LONGITUDE	LORAN 3H4	LORAN 3H5	DEPTH fms	C/C	TIME ON STATION PO	TIME ON STATION DO
START	36° 22'	75° 49'	1708	3038	6		1852	1853
FINISH	36° 22'	75° 49'	1708	3039	6		PU 1915	ON 1917

LENGTH WARF	SHIFT RPM	PITCH	GEAR DATA:
50	1300/5	50	

SPECIAL MODIFICATIONS

OPERATIONAL COMMENTS

Towed in circle

OBSERVATIONS

Alosids - positive

P. dentatus - 11

R/V DAN MOORE SPECIES LIST

STATION NUMBER 2451 DATE April 2 19 74 Biologists IDENTIFIED BY BFH ABP

TOTAL CATCH WT. 100 SUBSAMPLE WT. _____ NO. BASKETS _____

Air. 20°C Surf. 10.5°C FF100 : C : 7 : M - D : -

SPECIES	NUMBER	WEIGHT	DATA TAKEN *
Alosids (+)	Common	25	Juveniles + Adults -
			no true subsample taken. Adult
			Fish were tagged and
			those dead were kept
			Saw juvenile A. sapidissma
Lock (-)			
Sturgeon (-)			
P. dentatus +	Common	25	
Carcer microlepis	Few	√	
Libinia	Few	2	
Lophius americanus	2	20	
Scophthalmus aquosus	few	2	
Squalus acanthus	√	25	
Cynoscion regalis	20	20+	Pan trout
Peprilus triacanthus	Few	2	
Urophycis regius	few	1	

*Include type of data taken, i.e length, weight, scales, gonads, saved for identification, etc.

Digitized by the Internet Archive
in 2017 with funding from
IMLS LG-70-15-0138-15

https://archive.org/details/danmoore245100unse

Grids 27AE & 26AC

ANADROMOUS FISH TAGGING & RELEASE DATA

Station No. 2450 + 2451 Tot. Fish Captured 209 (196 BB, 12 ALW, 1 Anms)

Date 2 April, 1974 Tot. Fish Tagged 65 (63 (BB) 2 (ALW)

Area of Release 3.3 Mi E. Currituck 8FMS No. Retained for analysis 144 (1 Anms, 133 BB, 10 ALW)

LORAN 2450 Start 1508-1503 2992-2988 10-11FMS Gear Type 151 Wing Trawl 1 Anms

2451 Finish 1708 - 3839 6FMS (Only 6 fish from Sta. 2450)

TAG. NO.	Weight Lbs.	Weight Ozs.	F.L. (cm)	Species	Remarks
				Blueback	B25820 – B25882
					(63)
				Alewife	B25883 - B25884
					(2)

BLUEBACK

Stat.	Date	FL(mm)	wt(g)	Sex	Scales	Age	Spaton. Marks	Stage	BB No
2420	3/12/74	140	28		–	–	–	–	857
"		148	36	♀	–	–	–	Imm	858
"		160	40	♀	–	–	–	Imm.	859
"		166	50		–	–	–	–	860
"		145	32	♂	–	–	–	–	861
"		135	30		–	–	–	–	862
"		140	30	♂	–	–	–	–	863
"		134	26		–	–	–	–	864
"		157	44		–	–	–	–	865
"		150	36		–	–	–	–	866
"		140	28		–	–	–	–	867
"		148	40		–	–	–	–	868
"		150	36		–	–	–	–	869
"		160	40	♂	–	–	–	–	870
"		124	20	♀	–	–	–	Imm.	871
"		160	44	♂	–	–	–	–	872
2420		185	60	♂	–	–	–	–	873
2450-2451	4/2/74	252	220	♀	–	–	–	III	874
"		245	206	♂	–	–	–	–	875
"		235	186	♀	–	–	–	III	876
"		250	230	♀	–	–	–	III	877
"		250	202	♂	✓	3A-1S=4	1	Spent V	878
"		227	170	♂	–	–	–	–	879
"		255	272	♀	✓	3A-1St=5	1	III	880
"		258	300	♀	✓	4A-1St=6	1	III	881
"		245	204	♂	–	–	–	–	882
"		205	120	♀	–	–	–	II	883
"		252	260	♀	✓	3A-3S=6	3	III	884
2468	4/11/74	235	196	♀	✓	2A+=3	0	III	885
2424	3/14/74	75	–	–	–	–	–	–	886
"		77	–	–	–	–	–	–	887
"		73	–	–	–	–	–	–	888
"		77	–	–	–	–	–	–	889
"		77	–	–	✓	0+=1	0	–	890
"		83	–	–	✓	0+=1	0	–	891
"		73	–	–	–	–	–	–	892
"		76	–	–	✓	0+=1	0	–	893
"		70	–	–	✓	0+=1	0	–	894
"		75	–	–	✓	0+=1	0	–	895
"		77	–	–	✓	0+=1		–	896
"		75	–	–	–	–	–	–	897
"		73	–	–	–	–	–	–	898
"		73	–	–	✓	0+=1	0	–	899
"		75	–	–	–	–	–	–	900
"		95			✓	0+=1	0	–	901
"		75	–	–	–	–	–	–	902
"		67	–	–	–	–	–	–	903
"		75	–	–	✓	0+=1	0	–	904
"		72	–	–	–	–	–	–	905
"		78	–	–	–	–	–	–	906
"		74	–	–	–	–	–	–	907

BLUEBACK

Station	Date	FL(mm)	wt(g)	Sex	Scales	age	Spawn marks	Spawn Stage	Ck #
2424	3/14/74	75	—	—	—	—	—	—	908
"		74	—	—	—	—	—	—	909
"		82	—	—	—	—	—	—	910
"		100	—	—	✓	1A - 1	0	—	911
"		70	—	—	—	—	—	—	912
"		74	—	—	—	—	—	—	913
2450A	4/2/74	158	42	♂	✓	1A+ = 2	0		914
"		158	38	♂	✓	1A+ = 2			915
"		142	40	♂	✓	1A+ = 2			916
"		157	46	♀	—	—	—	1mm	917
"		158	46	♀	—	—	—	1mm	918
"		180	52	♀	—	—	—	1mm	919
"		170	56	♂	—	—	—		920
"		149	39	♂	—	—	—		921
"		165	48	♀	✓	2A+ = 3		1mm	922
"		160	42	♂	—	—	—		923
"		145	38	♀	✓	2A+ = 3		1mm	924
"		175	60	♀	✓	2A+ = 3		1mm	925
"		150	38	♀	—	—	—	1mm	926
"		152	42	♀	—	—	—	1mm	927
"		147	38	♀	—	—	—	1mm	928
"		150	28	♂	—	—	—		929
"		138	30	♀	—	—	—	1mm	930
"		142	30	♀	✓	1A+ = 2		1mm	931
"		147	30	♂	—	—	—		932
"		155	32	♂	—	—	—		933
"		152	36	♀	—	—	—	1mm	934
"		160	46	♀	—	—	—	1mm	935
"		157	44	♂	—	—	—		936
"		167	46	♀	—	—	—	1mm	937
"		182	66	♂	—	—	—		938
"		145	30	♂	—	—	—		939
"		155	38	♀	—	—	—	1mm	940
"		160	42	♀	✓	2A+ = 3		1mm	941
"		160	44	♂	—	—	—		942
"		159	40	♂	—	—	—		943
"		137	22	♂	—	—	—		944
"		150	36	♂	✓	2A+ = 3			945
"		155	39	♂	✓	2A+ = 3		" "	946
"		144	38	♂	—	—	—		947
"		145	38	♀	—	—	—	1mm	948
"		142	30	♀	—	—	—	1mm	949
"		152	42	♀	—	—	—	1mm	950
"		164	46	♀	✓	2A+ = 3		1mm	951
"		143	32	♀	—	—	—	1mm	952
"		135	28	♂	—	—	—		953
"		155	44	♂	—	—	—		954
"		148	33	♀	✓	1A+ = 2		1mm	955
"		142	26	♂	—	—	—		956
"		165	42	♀	✓	2A+ = 2		1mm	957
"		145	36	♂	—	—	—		958
"		142	30	♂	—	—	—		959
"		140	30	♂	—	—	—		960

BLUEBACK

Station	Date	FL(mm)	WT(g)	Sex	scales	Dye	Marks	Sperm	#
2450	4/2/74	150	36	07	–	–	–		961
"		155	40	07	–	–	–		962
"		160	40	07	✓	RA+:3			963
"		80	–	–	–	–	–		964
"		78	–	–	–	–	–	–	965
"		73	–	–	–	–	–	–	966
"		75	–	–	–	–	–	–	967
"		70	–	–	–	–	–	–	968
"		80	–	–	–	–	–	–	969
"		85	–	–	–	–	–	–	970
"		78	–	–	–	–	–	–	971
"		77	–	–	–	–	–	–	972
"		88	–	–	–	–	–	–	973
"		67	–	–	–	–	–	–	974
"		68	–	–	–	–	–	–	975
"		73	–	–	–	–	–	–	976
"		71	–	–	–	–	–	–	977
"		65	–	–	–	–	–	–	978
"		74	–	–	–	–	–	–	979
"		82	–	–	–	–	–	–	980
"		75	–	–	–	–	–	–	981
"		70	–	–	–	–	–	–	982
"		73	–	–	–	–	–	–	983
"		68	–	–	–	–	–	–	984
"		71	–	–	–	–	–	–	985
"		68	–	–	–	–	–	–	986
"		83	–	–	–	–	–	–	987
"		83	–	–	–	–	–	–	988
"		78	–	–	–	–	–	–	989
"		98	–	–	–	–	–	–	990
"		80	–	–	–	–	–	–	991
"		77	–	–	–	–	–	–	992
"		73	–	–	–	–	–	–	993
"		72	–	–	–	–	–	–	994
"		68	–	–	–	–	–	–	995
"		72	–	–	–	–	–	–	996
"		72	–	–	–	–	–	–	997
"		73	–	–	–	–	–	–	998
"		83	–	–	–	–	–	–	999
"		76	–	–	–	–	–	–	1000
"		77	–	–	–	–	–	–	1001
"		78	–	–	–	–	–	–	1002
"		68	–	–	–	–	–	–	1003
"		73	–	–	–	–	–	–	1004
"		73	–	–	–	–	–	–	1005
"		73	–	–	–	–	–	–	1006
"		67	–	–	–	–	–	–	1007
"		82	–	–	–	–	–	–	1008
"		67	–	–	–	–	–	–	1009
"		74	–	–	–	–	–	–	1010
"		78	–	–	–	–	–	–	1011
"		73	–	–	–	–	–	–	1012
"		65	–	–	–	–	–	–	1013

BLUE BACK

Sta.	Date	FL (mm)	wt (g)	Sex	Scales	Age	Spawn marks	Stage	BB No.
2450	4/2/74	77							1015
"	"	67							1016
"	"	65							1017
"	"	72							1018
"	"	75							1019
"	"	73							1020
"	"	63							1021
"	"	83							1022
"	"	70							1023
"	"	68							1024
"	"	68							1025
"	"	74							1026
"	"	80							1027
"	"	77							1028
"	"	69							1029
"	"	68							1030
"	"	68							1031
"	"	67							1032
"	"	73							1033
"	"	72							1034
"	4/2/74	70							1035
2418	3/12/74	70							1036
	"	70							1037
	"	75							1038
	"	100							1039
	"	70							1040
	"	75							1041
2418	3/12/74	75							1042
2419	3/12/74	250	232	♂	✓	3A-3S=6	3	-	1043
2422	3/13/74	199	170	♂	-	-	-		1044
2504	5/16/74	233	146	♂	✓	3A-2S=5	2	V SPENT	1045
"	"	220	120	♂	✓	4A-1S=5	1	V SPENT	1046
"	"	248	164	♂	✓	4A-3S=7	3	V SPENT	1047
"	"	260	180	♂	✓	3A-3S=6	3	V SPENT	1048
2500	5/16/74	245	130	♂	✓	4A-1S=5	1	V SPENT	1049

ALEWIFE

Sta.	Date	FL(mm)	Wt(g)	Sex	Scales	Age	Spawn Marks	Stage	AL No.
2417 ✓	3/7/74	225	288	♂	✓	4A+ = 5	0	—	103
"	"	252	260	♂	✓	5A-1S+=7	1	—	104
"	"	242	226	♀	✓	4A+ = 5	0	III	105
	11 / 2713								
2420 ✓	3/12/74	225	162	♂	—	—	—	—	106
"	"	234	200	♂	—	—	—	—	107
"	"	145	34	I	—	—	—	—	108
"	"	135	36	I	—	—	—	—	109
"	"	130	30	I	—	—	—	—	110
"	"	125	18	I	—	—	—	—	111
"	"	140	26	I	—	—	—	—	112
"	"	145	30	I	—	—	—	—	113
"	"	145	30	I	—	—	—	—	114
"	"	135	30	I	—	—	—	—	115
"	"	144	30	I	—	—	—	—	116
"	"	147	38	I	—	—	—	—	117
"	"	137	38	I	—	—	—	—	118
	13 / 1987								
2450-2451 ✓	4/2/74	1 / 240	180	♀	—	—	—	III	119
2424 ✓	3/14/74	108	—	—	✓	0+ = 1	0	—	120
"	"	115	—	—	✓	1A+ = 2	0	—	121
"	"	151	—	♀	✓	2A+ = 3	0 ✓	Imm	122
"	"	132	—	♀	—	—	—	Imm	123
"	"	135	—	—	✓	2A+ = 3	0	—	124
	5 / 641								
2450 ✓	4/2/74	122	26	♀	✓	1A+ = 2*		1mm	125
"	"	120	20	♀	—	—	—	1mm	126
"	"	129	26	♀	—	—	—	1mm	127
"	"	125	26	♀	✓	1A+ = 2	0	1mm	128
"	"	110	16	♂	—	—	—		129
"	"	110	19	♀	✓	1A+ = 2	0	1mm	130
"	"	100	10	—	✓	2A = 2	0	—	131
"	"	110	18	—	✓	0+ = 1	0	—	132
"	"	103	18	—	—	—	—	—	133
	9 / 1029								
2418	3/12/74	135	20	♂	—	—	—	—	134
"	"	149	44	♀	—	—	—	1mm	135
"	"	149	44	♀	—	—	—	1mm	136
"	"	163	60	♂	✓	unreadable		—	137
"	"	137	30	♂	—	—	—	—	138
"	"	145	36	♀	—	—	—	1mm	139
"	"	133	36	♀	✓	2A = 2	0 ✓	1mm	140
"	"	127	26	♂	—	—	—	—	141
"	"	145	44	♂	✓	1A+ = 2	0	—	142
"	"	138	38	♂	—	—	—	—	143
"	"	158	56	♀	✓ ?	1A+ = 2	0	1mm	144
"	"	163	48	♂	—	—	—	—	145
"	"	140	38	♂	—	—	—	—	146
"	"	145	40	♀	—	—	—	1mm	147
"	"	143	40	♀	—	—	—	1mm	148
"	"	142	42	♂	✓	1A+ = 2	0	—	149
"	"	127	28	♀	—	—	—	1mm	150
2418	"	109	18	♂	—	—	—	—	151

Species. *Y. deliciosus*

Specimen Number	T.L.	Sex	Otoliths	Gonads	Fecundity	Backcalc.	Age	Gonad Stage	Station Number	Remarks
										wt. g.
4-1	460	♀	✓	✓				VIII	2450	— 15.8 g
4-2	212	♀	—	—				I	11	100 April 1954
4-3	450 ✓	♀	✓	✓				VII	2451	— *8.4 g Area I
4-4	529 ✓	♀	✓	✓				III	11	— *14.6 (II?) April 1954
4-5	269	♂	✓	—				—	2481	190 Area II
4-6	249	♀	✓	—				I	11	155 April 1954
4-7	248	♀	✓	—				I	11	150
4-8	264	♀	✓	—				I	11	160
4-9	250	♀	✓	—				I	11	150
4-10	240	♀	✓	—				I	11	135
4-11	256	♀	✓	—	—			I	11	170
4-12	263	♂	✓	—				—	11	190
4-13	228	♀	✓	—				I	11	110
4-14	225	♀	✓	—				I	11	120
4-15	242	♀	✓	—				I	11	145
4-16	235	♀	✓	—				I	11	135
4-17	231	♂	✓	—				—	11	125
4-18	234	♀	✓	—				I	11	135
4-19	261	♀	✓	—				I	11	185
4-20	240	♂	✓	—				—	11	155
4-21	237	♂	—	—				—	11	135
4-22	215	♀	✓	—				I	11	100
4-23	253	♀	✓	—				I	11	160
4-24	226	♀	✓	—				I	11	115
4-25	253	♂	✓	—				—	11	170
4-26	341	♂	✓	—				—	11	385
4-27	264	♀	✓	—				I	11	175
4-28	258	♀	✓	—				I	11	190
4-29	257	♀	✓	—				I	11	165
4-30	237	♀	✓	—				I	11	140
4-31	257	♂	✓	—				—	11	175
4-32	233	♀	✓	—				I	11	135
4-33	267	♀	✓	—				I	11	195
4-34	248	♀	✓	—				I	11	160
4-35	257	♂	✓	—				—	11	170
4-36	249	♀	✓	—				I	11	150
4-37	252	♀	✓	—				I	11	165
4-38	268	♀	✓	—				I	11	195
4-39	221	♀	✓	—				I	11	120
4-40	263	♀	✓	—				I	11	170
4-41	212	♂	✓	—				—	11	110
4-42	258	♀	✓	—				I	11	170
4-43	237	♀	✓	—				I	11	150
4-44	346	♂	✓	—				—	11	410
4-45	211	♂	✓	—				—	11	105
4-46	257	♀	—	—				I	11	180
4-47	239	♀	✓	—				I	11	145
4-48	234	♀	✓	—				I	11	140

(48)

ANADROMOUS FISH TAGGING & RELEASE DATA

Station No. 2451 Tot. Fish Captured 23

Date 4-2-24 Tot. Fish Tagged 21

Area of Release 3.3 Miles Ese Curtis Landing No. Retained for analysis 2

LORAN Start 1708 30.38 GPM Gear Type 151' Wing Trawl

Finish 1708 GPMS

Area I

TAG. NO.	Weight Lbs.	Weight Ozs.	F.L. (cm)	Species	Remarks
F0993			289	P. deweltatus	
F0994			288	"	
F0995			292	"	
F0996			265	"	
F0997			247	"	
F0998			211	"	
F0999			222	"	
F1000			277	"	
F1001			227	"	
F1002			242	"	
F1003			217	"	
F1004			203	"	
F1005			186	"	
F1006			128	"	
F1007			144	"	
F1008			214	"	
F1009			208	"	
F1010			233	"	
F1011			209	"	
F1012			196	"	
F1013			198	"	

Length-frequency distribution

Species: *P. dentatus*

Station: 2451

Date: April 2, 1974

Locality: 1

T.L.	Unsexed	♀
100 - 109.9		
110 -		
120 -		
130 -		
140 -		
150 -		
160 -		
170 -	I	(1)
180 -	I	(1)
190 -	III	(3)
200 -	II	(2)
210 -	III	(3)
220 -	II	(2)
230 -	I	(1)
240 -	I	(1)
250 -		
260 -	I	(1)
270 -		
280 -	III	(3)
290 -	I	(1)
300 -		
310 -		
320 -		
330 -		
340 -	I	(1)
350 -		
360 -		
370 -	I	(1)
380 -		
390 -		
400 -		
410 -		
420 -		
430 -		
440 -		
450 -		(1)
460 -		
470 -		
480 -		
490 -		
500 -		
510 -		
520 -		(1)
530 -		
540 -		
550 -		
560 -		
570 -		
580 -		
590 -		

T.L.
600 -
610 -
620 -
630 -
640 -
650 -
660 -
670 -
680 -
690 -
700 -
710 -
720 -
730 -
740 -
750 -

Unsexed 21

♀ 2

23

Sheet 1 of 1